CLINICAL AND EXPERIMENTAL IMMUNOLOGY

CONTENTS

Vol 105 No 1 July 1996

S. GOERDT, V. KODELJA, M. SCHMUTH, C. E. ORFANOS & C. SORG: The mononuclear phagocyte–dendritic cell dichotomy: myths, facts, and a revised concept 1

P. LANE: Are polysaccharide antibody responses independent: the T cell enigma? 10

I. S. AABERGE, T. E. STEINSVIK, E.-C. GROENG, R.-B. LEIKVOLD & M. LØVIK: Human antibody response to a pneumococcal vaccine in SCID-PBL-hu mice and simultaneously vaccinated human cell donors 12

C. BRANDER, G. CORRADIN, T. HASLER & W. J. PICHLER: Peptide immunization in humans: a combined $CD8^+/CD4^+$ T cell-targeted vaccine restimulates the memory CD4 T cell response but fails to induce cytotoxic T lymphocytes (CTL) 18

S. BEHBOUDI, B. MOREIN & M. VILLACRES-ERIKSSON: *In vitro* activation of antigen-presenting cells (APC) by defined composition of *Quillaja saponaria* Molina triterpenoids 26

F. COTTREZ, A. CAPRON & H. GROUX: Selective $CD4^+$ T cell deletion after specific activation in HIV-infected individuals; protection by anti-CD28 monoclonal antibodies 31

H. PLOTNICKY-GILQUIN, A. AFANI, J.C. VERNANT & C. DES-GRANGES: Complement-dependent cytotoxic antibodies to human T lymphotropic virus type I (HTLV-I)-infected cells in the sera of HTLV-I-infected individuals 39

T. ISHIYAMA, M. KOIKE, K. WATANABE, H. WATANABE, K. FUKUCHI, & N.TSURUOKA: Natural killer (NK) lymphocytosis induced by Epstein–Barr virus (EBV) reactivation in monoclonal gammopathy of undetermined significance (MGUS) 46

W. O. BÖCHER, S. HERZOG-HAUFF, W. HERR, K. HEERMANN, G. GERKEN, K.-H. MEYER ZUM BÜSCHENFELDE & H. F. LÖHR: Regulation of the neutralizing anti-hepatitis B surface (HBs) antibody response *in vitro* in HBs vaccine recipients and patients with acute or chronic hepatitis B virus (HBV) infection 52

A. GABRIELLI, Z.-X. ZHANG, G. CHERUBINI, M. CANDELA, S. SAVOLDI, A. MANZIN, M. CLEMENTI, A. AMOROSO & M. SALLBERG: Differential humoral immune response against hepatitis C virus antigenic synthetic peptides in infected patients with and without mixed cryoglobulinaemia 59

P. RIECKMANN, G. SCHOLZE, I. WEICHSELBRAUN, R. GANAPATI & H. W. PRANGE: Soluble adhesion molecules in sera of patients with leprosy: levels of soluble intercellular adhesion molecule-1 (sICAM-1) rapidly decrease during multi-drug therapy 65

P. H. JAKOBSEN, V. MCKAY, R. N'JIE, B. O. OLALEYE, U. D'ALESSANDRO, K. BENDTZEN, I. SCHOUSBOE & B. M. GREENWOOD: Soluble products of inflammatory reactions are not induced in children with asymptomatic *Plasmodium falciparum* infections 69

C. WENISCH, H. WENISCH, B. PARSCHALK, S. VANIJANONTA, H. BURGMANN, M. EXNER, K. ZEDWITZ-LIEBENSTEIN, F. THALHAMMER, A. GEORGOPOULOS, W. GRANINGER & S. LOOAREESUWAN: Elevated levels of soluble CD14 in serum of patients with acute *Plasmodium falciparum* malaria 74

I. MATHOV, L. PLOTKIN, C. ABATANGELO, R. GALIMBERTI, L. SQUIQUERA & J. LEONI: Antibodies from patients with psoriasis recognize N-acetylglucosamine terminals in glycoproteins from *Pityrosporum ovale* 79

E. BAHARAV, O. MERIMSKI, Y. SHOENFELD, R. ZIGELMAN, B. GILBRUD, G. YECHESKEL, P. YOUINOU & P. FISHMAN: Tyrosinase as an autoantigen in patients with vitiligo 84

S. P. MOYES, C. M. BROWN, B. B. SCOTT, R. N. MAINI & R. A. MAGEED: Analysis of V genes in rheumatoid arthritis (RA) synovial B lymphocytes provides evidence for both polyclonal activation and antigen-driven selection 89

A. BOND, A. ALAVI, J. S. AXFORD, P. YOUINOU & F. C. HAY: The relationship between exposed galactose and N-acetylglucosamine residues on IgG in rheumatoid arthritis (RA), juvenile chronic arthritis (JCA) and Sjögren's syndrome (SS) 99

E. CSERNOK, C. H. SZYMKOWIAK, N. MISTRY, M. R. DAHA, W. L. GROSS & J. KEKOW: Transforming growth factor-beta (TGF-β) expression and interaction with proteinase 3 (PR3) in anti-neutrophil cytoplasmic antibody (ANCA)-associated vasculitis 104

C. WATSON, S. WHITTAKER, N. SMITH, A. J. VORA, D. C. DUMONDE & K. A. BROWN: IL-6 acts on endothelial cells to preferentially increase their adherence for lymphocytes 112

J. SOBAJIMA, S. OZAKI, T. OKAZAKI, F. OSAKADA, S. SUMITA, K. MORI & K. NAKAO: Anti-neutrophil cytoplasmic antibodies (ANCA) in ulcerative colitis: anti-cathepsin G and a novel antibody correlate with a refractory type 120

J. J. YANG, R. TUTTLE, R. J. FALK & J. C. JENNETTE: Frequency of anti-bactericidal/permeability-increasing protein (BPI) and anti-azurocidin in patients with renal disease 125

M. C. J. VAN BRUGGEN, C. KRAMERS, M. N. HYLKEMA, R. J. T. SMEENK & J. H. M. BERDEN: Significance of anti-nuclear and anti-extracellular matrix auto-antibodies for albuminuria in murine lupus nephritis; a longitudinal study on plasma and glomerular eluates in MRL/l mice 132

K. Erregragui, F. Cheillan, J. P. Defoort, S. Prato & V. Fert: Autoantibodies to thyroid hormones: the role of thyroglobulin 140
G. Aust, M. Heuer, S. Laue, I. Lehmann, A. Hofmann, N.-E. Heldin & W. A. Scherbaum: Expression of tumour necrosis factor-alpha (TNF-α) mRNA and protein in pathological thyroid tissue and carcinoma cell lines 148
A. J. Vora, G. D. Perkin, T. Mccoy, D. C. Dumonde & K. A. Brown: Enhanced binding of lymphocytes from patients with multiple sclerosis to tumour necrosis factor-alpha (TNF-α)-treated endothelial monolayers: associations with clinical relapse and adhesion molecule expression 155
S. Sumita, S. Ozaki, T. Okazaki, J. Sobajima & K. Nakao: A vascular smooth muscle-specific $CD4^+$ T cell line that induces pulmonary vasculitis in MRL-+/+ mice 163
M. Schuyler, K. Gott & B. Edwards: Experimental hypersensitivity pneumonitis: cellular requirements 169
P. L. Amlot, F. Tahami, D. Chinn & E. Rawlings: Activation antigen expression on human T cells. I. Analysis by two-colour flow cytometry of umbilical cord blood, adult blood and lymphoid tissue 176
N. M. Bhat, M. M. Bieber, F. K. Stevenson & N. N. H. Teng: Rapid cytotoxicity of human B lymphocytes induced by VH4-34 (VH4.21) gene-encoded monoclonal antibodies 183
R. Malek, K. S. Aulak & A. E. Davis iii: The catabolism of intact, reactive centre-cleaved and proteinase-complexed C1 inhibitor in the guinea pig 191

Vol 105 No 2 August 1996

J. O'donohue & R. Williams: Immunological control in primary biliary cirrhosis: the cytokine story 199
A. K. Bogstedt, S. Nava, T. Wadström & L. Hammarström: *Helicobacter pylori* infections in IgA deficiency: lack of role for the secretory immune system 202
D. Lilic, A. J. Cant, M. Abinun, J. E. Calvert & G. P. Spickett: Chronic mucocutaneous candidiasis. I. Altered antigen-stimulated IL-2, IL-4, IL-6 and interferon-gamma (IFN-γ) production 205
D. Lilic, J. E. Calvert, A. J. Cant, M. Abinun & G. P. Spickett: Chronic mucocutaneous candidiasis. II. Class and subclass of specific antibody responses *in vivo* and *in vitro* 213
S. Zanussi, C. Simonelli, M. D'andrea, C. Caffau, M. Clerici, U. Tirelli & P. De paoli: $CD8^+$ lymphocyte phenotype and cytokine production in long-term non-progressor and in progressor patients with HIV-1 infection 220
A. Faith, H. Yssel, R. E. O'hehir & J. R. Lamb: Reversal of the inhibitory effects of HIV-gp120 on $CD4^+$ T cells by stimulation through the CD28 pathway 225
A. Noll & I. B. Autenrieth: *Yersinia*-hsp60-reactive T cells are efficiently stimulated by peptides of 12 and 13 amino acid residues in a MHC class II ($I\text{-}A^b$)-restricted manner 231
M. Gleeson, D. B. Pyne, W. A. Mcdonald, R. L. Clancy, A. W. Cripps, P. L. Horn & P. A. Fricker: Pneumococcal antibody responses in elite swimmers 238
C. G. K. Lüder, H. Schulz-key, M. Banla, S. Pritze & P. T. Soboslay: Immunoregulation in onchocerciasis: predominance of Th1-type responsiveness to low molecular weight antigens of *Onchocerca volvulus* in exposed individuals without microfilaridermia and clinical disease 245
M. Shindo, G. E. Mullin, L. Braun-elwert, N. V. Bergasa, E. A. Jones & S. P. James: Cytokine mRNA expression in the liver of patients with primary biliary cirrhosis (PBC) and chronic hepatitis B (CHB) 254
C. Gabay, M. Singwe, B. Genin, O. Meyer, G. Mentha, C. Le coultre, T. Vischer & P.-A. Guerne: Circulating levels of IL-11 and leukaemia inhibitory factor (LIF) do not significantly participate in the production of acute-phase proteins by the liver 260
M. R. Abedi, L. Hammarström, U. Broomé, B. Angelin, C. I. Edvard smith & B. Christensson: Reduction in serum levels of antimitochondrial (M2) antibodies following immunoglobulin therapy in severe combined immunodeficient (SCID) mice reconstituted with lymphocytes from patients with primary biliary cirrhosis (PBC) 266
D. W. Mcgee & S. J. D. Vitkus: IL-4 enhances IEC-6 intestinal epithelial cell proliferation yet has no effect on IL-6 secretion 274
N. Lügering, T. Kucharzik, M. Fisahn, W. Domschke & R. Stoll: Crohn's disease (CD) patients suffering from peripheral arthritis or ankylosing spondylitis reveal restricted T cell receptor Vβ regions in different temporal phases of disease 278
T. Iwai, Y. Muro, K. Sugimoto, Y. Matsumoto & M. Ohashi: Clinical features of anti-chromo antibodies associated with anti-centromere antibodies 285
D. M. Carruthers, W. G. Naylor, M. E. Allen, G. D. Kitas, P. A. Bacon & S. P. Young: Characterization of altered calcium signalling in T lymphocytes from patients with rheumatoid arthritis (RA) 291
M. Fujimoto, S. Sato, H. Ihn, T. Tamaki, K. Kikuchi, Y. Soma & K. Tamaki: Autoantibodies to mitochondrial 2-oxo-acid dehydrogenase complexes in localized scleroderma 297
J. M. Moulds, J. D. Reveille & F. C. Arnett: Structural polymorphisms of complement receptor 1 (CR1) in systemic lupus erythematosus (SLE) patients and normal controls of three ethnic groups 302
C. T. Ravirajan, C. E. Sarraf, T. V. Anilkumar, M. C. H. Golding, M. R. Alison & D. A. Isenberg: An analysis of apoptosis in lymphoid organs and lupus disease in murine systemic lupus erythematosus (SLE) 306
G. G. De sa oliveira, S. Izui, C. T. Ravirajan, R. A. K. Mageed, P. M. Lydyard, C. J. Elson & R. N. Barker: Diverse antigen specificity of erythrocyte-reactive monoclonal autoantibodies from NZB mice 313
P. Heeringa, J. Van den born, E. Brouwer, K. M. Dolman, P. A. Klok, M. G. Huitema, P. C. Limburg, M. A. H. Bakker, J. H. M. Berden, M. R. Daha & C. G. M. Kallenberg: Elastase, but not proteinase 3 (PR3), induces proteinuria associated with

loss of glomerular basement membrane heparan sulphate after *in vivo* renal perfusion in rats 321
P. SAÏ, A. S. RIVEREAU, C. GRANIER, TH. HAERTLÉ & L. MARTIGNAT: Immunization of non-obese diabetic (NOD) mice with glutamic acid decarboxylase-derived peptide 524–543 reduces cyclophosphamide-accelerated diabetes 330
R. DI MARCO, P. ZACCONE, G. MAGRO, S. GRASSO, M. LUNETTA, W. BARCELLINI, V. M. NICOLOSI, P. L. MERONI & F. NICOLETTI: Synergistic effect of deoxyspergualin (DSP) and cyclosporin A (CsA) in the prevention of spontaneous autoimmune diabetes in BB rats 338
E. ROUSSEL, M. C. GINGRAS, E. A. GRIMM, J. M. BRUNER & R. P. MOSER: Predominance of a type 2 intratumoural immune response in fresh tumour-infiltrating lymphocytes from human gliomas 344
D. DE WIT, C. L. FLEMMING, J. D. HARRIS, K. J. PALMER, J. S. MOORE, M. E. GORE & M. K. L. COLLINS: IL-12 stimulation but not B7 expression increases melanoma killing by patient cytotoxic T lymphocytes (CTL) 353
C. J. CHAPMAN, C. I. MOCKRIDGE, T. J. HAMBLIN & F. K. STEVENSON: Tracking of the V_{4-34} (V_H4–21) gene in human tonsil reveals clonal isotype switch events and a highly variable degree of somatic hypermutation 360
E. REALI, R. GUERRINI, B. GIORI, M. BORGHI, M. MARASTONI, R. TOMATIS, S. TRANIELLO, M. G. MASUCCI & R. GAVIOLI: Activation of epitope-specific memory cytotoxic T lymphocyte responses by synthetic peptides 369
A. ASEA, M. HANSSON, C. CZERKINSKY, T. HOUZE, S. HERMODSSON, Ö. STRANNEGÅRD & K. HELLSTRAND: Histaminergic regulation of interferon-gamma (IFN-γ) production by human natural killer (NK) cells 376
R. ZAMBELLO, L. TRENTIN, C. ENTHAMMER, A. CIPRIANI, C. AGOSTINI & G. SEMENZATO: Lysis of pulmonary fibroblasts by lymphokine (IL-2)-activated killer cells—a mechanism affecting the human lung microenvironment? 383
T. L. MAEKAWA, T. A. TAKAHASHI, M. FUJIHARA, J. AKASAKA, S. FUJIKAWA, M. MINAMI & S. SEKIGUCHI: Effects of ultraviolet B irradiation on cell–cell interaction; implication of morphological changes and actin filaments in irradiated cells 389

Vol 105 No 3 September 1996

R. J. STEPTOE & A. W. THOMSON: Dendritic cells and tolerance induction 397
A. L. LUZZATI, M. BOIRIVANT, E. GIACOMINI, L. GIORDANI, F. DI MODUGNO & A. CHERSI: Interferon-gamma (IFN-γ) can counteract the *in vitro* inhibitory effect of an HIV p24 immunosuppressive heptapeptide 403
M. TH. L. ROOS, F. MIEDEMA, A. A. P. MEINESZ, N. A. S. M. DE LEEUW, N. G. PAKKER, J. M. A. LANGE, R. A. COUTINHO & P. TH. A. SCHELLEKENS: Low T cell reactivity to combined CD3 plus CD28 stimulation is predictive for progression to AIDS: correlation with decreased CD28 expression 409
S. JURCEVIC, A. HILLS, G. PASVOL, R. N. DAVIDSON, J. IVANYI & R. J. WILKINSON: T cell responses to a mixture of *Mycobacterium tuberculosis* peptides with complementary HLA-DR binding profiles 416
M. ULANOVA, M. HAHN-ZORIC, Y. L. LAU, A. LUCAS & L. Å. HANSON: Expression of *Haemophilus influenzae* type b idiotype 1 on naturally acquired antibodies 422
M. J. HOLLAND, R. L. BAILEY, D. J. CONWAY, F. CULLEY, G. MIRANPURI, G. I. BYRNE, H.C. WHITTLE & D. C. W. MABEY: T helper type-1 (Th1)/Th2 profiles of peripheral blood mononuclear cells (PBMC); responses to antigens of *Chlamydia trachomatis* in subjects with severe trachomatous scarring 429
G. SPIRA, M. PAIZI, S. MAZAR, G. NUSSBAUM, S. MUKHERJEE & A. CASADEVALL: Generation of biologically active anti-*Cryptococcus neoformans* IgG, IgE and IgA isotype switch variant antibodies by acridine orange mutagenesis 436
K. M. ELASED, J. TAVERNE & J. H. L. PLAYFAIR: Malaria, blood glucose, and the role of tumour necrosis factor (TNF) in mice 443
C. I. BRODSKYN, A. BARRAL, M. A. BULHÕES, T. SOUTO, W. C. MACHADO & M. BARRAL-NETTO: Cytotoxicity in patients with different clinical forms of Chagas' disease 450
R. RIGANÒ, E. PROFUMO, A. TEGGI & A. SIRACUSANO: Production of IL-5 and IL-6 by peripheral blood mononuclear cells (PBMC) from patients with *Echinococcus granulosus* infection 456
M. SATOH, A. K. AJMANI, L. STOJANOV, J. J. LANGDON, T. OGASAWARA, J. WANG, M.A. DOOLEY, H. B. RICHARDS, J. B. WINFIELD, T. H. CARTER & W. H. REEVES: Autoantibodies that stabilize the molecular interaction of Ku antigen with DNA-dependent protein kinase catalytic subunit 460
G. R. HARVEY, A. L. RANDS & N. J. MCHUGH: Anti-RNA polymerase antibodies in systemic sclerosis (SSc): association with anti-topoisomerase I antibodies and identification of autoreactive subunits of RNA polymerase II 468
H. IHN, S. SATO, M. FUJIMOTO, K. KIKUCHI, A. IGARASHI, Y. SOMA, K. TAMAKI & K. TAKEHARA: Measurement of anticardiolipin antibodies by ELISA using β_2-glycoprotein I (β_2-GPI) in systemic sclerosis 475
N. NILSSON & H. CARLSTEN: Enhanced natural but diminished antibody-mediated cytotoxicity in the lungs of MRL*lpr*/*lpr* mice 480
L. J. J. BEIJLEVELD, H. GROEN, C. P. M. BROEREN, F. A. KLATTER, J. KAMPINGA, J. G. M. C. DAMOISEAUX & P. J. C. VAN BREDA VRIESMAN: Susceptibility to clinically manifest cyclosporine A (CsA)-induced autoimmune disease is associated with interferon-gamma (IFN-γ)-producing $CD45RC^+RT6^-$ T helper cells 486
J. E. TEIXEIRA, R. S. COSTA, P. J. LACHMANN, R. WÜRZNER & J. E. BARBOSA: CR1 stump peptide and terminal complement complexes are found in the glomeruli of lupus nephritis patients 497
T. HELLMARK, C. BRUNMARK, J. TROJNAR & J. WIESLANDER: Epitope mapping of anti-glomerular

basement membrane (GBM) antibodies with synthetic peptides 504
C. A. P. Fijen, E. J. Kuijper, M. T. Te Bulte, M. M. Van de Heuvel, A. C. J. M. Holdrinet, R. B. Sim, M. R. Daha & J. Dankert: Heterozygous and homozygous factor H deficiency states in a Dutch family 511
M. E. North, K. Ivory, M. Funauchi, A. D. B. Webster, A. C. Lane & J. Farrant: Intracellular cytokine production by human $CD4^+$ and $CD8^+$ T cells from normal and immunodeficient donors using directly conjugated anti-cytokine antibodies and three-colour flow cytometry 517
R. A. Ajjan, P. F. Watson, R. S. Mcintosh & A. P. Weetman: Intrathyroidal cytokine gene expression in Hashimoto's thyroiditis 523
D. B. Gough, K. C. H. Fearon & D. C. Carter: Metabolic disturbance and sensitivity to endotoxin in patients with advanced cancer: relationship to lymphocyte reactivity, tumour necrosis factor (TNF) production and survival 529
H. M. Wolf, I. Hauber, H. Gulle, A. Samstag, M. B. Fischer, R. U. Ahmad & M. M. Eibl: Anti-inflammatory properties of human serum IgA: induction of IL-1 receptor antagonist and FcαR (CD89)-mediated down-regulation of tumour necrosis factor-alpha (TNF-α) and IL-6 in human monocytes 537
M. M. Steger, C. Maczek & B. Grubeck-Loebenstein: Morphologically and functionally intact dendritic cells can be derived from the peripheral blood of aged individuals 544
E. S. Jurges & D. C. Henderson: Inflammatory and immunological markers in preterm infants: correlation with disease 551
E. C. Ebert & A. I. Roberts: IL-4 down-regulates the responsiveness of human intraepithelial lymphocytes 556